

DISPOSABLE CLEANING FABRICS

Field of the Invention

This invention relates to cleaning fabrics and a method for making same which uses inexpensive, generally waste materials. The fabrics are preferably made from non-woven materials with an outer layer of material and a highly absorbent inner layer of material.

Background of the Invention

Cleaning devices, mops, wipes and covers have historically been made from cotton or synthetic fibers which are twisted and formed into strands and the strands formed into yarns. The yarns may be woven on looms to product sheet form goods. These woven fabric articles are made in more or less degrees of cost. An alternative to traditional fiber yarns has been the use of non-woven cellulose / wood pulp fabrics such as used in tea bags, food and industry machine filters, disposable uniforms, packaging, paper wipes, facial tissue, paper towels and the like. Waste products result from the manufacture of these items. Applicant's invention provides a novel approach to the use of these waste products. An outer strip of waste material is combined with an inner filling of a different type of waste material. The inner and outer materials are combined by a multiplicity of folds or by tacking, stitching, gluing or other connection means. These waste materials are preferably cellulose based non-woven materials which are selected for

particular end uses on the basis of differing performance characteristics such as resistance to abrasion, absorbency, longevity and abrasive qualities. The extreme low cost of these materials, previously considered waste trimming and lower end by-products of higher end manufacturing processes, makes feasible a one time or very short time use for the ultimate purchaser while maintaining an adequate margin for the manufacturer.

Many attempts have been made to produce an inexpensive mop which have met varying degrees of success. Some methods have used the cheapest fibers or re-claimed fibers in the spinning process, others have used stacks of fabrics from which strips are cut to form flat ribbons or strings, and yet others have processed non-woven materials using special stretching and twisting techniques which reduce absorbency but add sufficient strength to make a usable mop or other cleaning article. Some are less or more absorbent than others, and some are sturdier in use than others. The instant invention presents a novel solution to the disposable cleaning article and mop problem by providing a strip or ribbon of material which is folded about an absorbent inner material. A mop made in accordance with the disclosed process is of such low expense that it can be disposed after one time or possibly two or three time use, such as a single days use. The mop is absorbent yet sufficiently robust to provide effective scrubbing and cleaning ability. Throws, absorbent pads and wipes can also be made from the disclosed yarn substitute; a particular form of wipe is disclosed.

Description of the Drawings

The following drawings are provided as illustrative examples of the present invention.

Fig. 1 is a perspective, fragmentary view of a yarn substitute textile material embodying

the present invention.

Fig. 2 is a cross-sectional view taken along the lines 2-2, Fig. 1.

Fig. 3 is a perspective, fragmentary view of the yarn substitute material embodied so as to form a wipe or mat.

Fig. 4 is a front elevational view of the yarn substitute embodied in the form of a mop.

Fig. 5 is an enlarged, cross-sectional view of the mop.

Fig. 6 discloses a step in the manufacture of the yarn substitute ribbon shown in Fig. 1.

Fig. 7 is a cross-sectional view of the ribbon structure shown in Fig. 6.

Description of the Preferred and Alternate Embodiments

As required, a detailed description of the preferred and alternate embodiments is disclosed herein, however, other embodiments or configurations may be apparent based upon the following description to those having ordinary skill in the art.

Ref. 1, Fig. 1 generally designates a ribbon forming a yarn substitute. The ribbon 1 is generally formed of an outer wrapping 3 of a non-woven material such as used in the manufacture of tea bags, food and industry machine filters, disposable uniforms, packaging, and the like. The outer wrapping 3 is a waste material remaining from the manufacturer of such items and are the trimmings or ends of rolls of such material. This scrap material differs in resistance to abrasion, absorbency, longevity, abrasive qualities and other attributes. Because the ribbon 1 can be put to various purposes as a yarn substitute, the qualities of the outer wrapping 3 are selected based upon the proposed use of the ribbon 1. The outer ribbon 3 is preferably a single length of material which is folded double, as shown in Fig. 2, into top and bottom layers 4

and 5. The ribbon 1 is filled with other non-woven fabric waste products such as trimmings from paper wipes, facial tissue, paper towels and the like highly absorbent materials. This filling 7 is also folded longitudinally, may be folded in multiple pleats accordion style and is gathered within the outer wrapping 3, Fig. 2. The complete ribbon 1 is preferably in the order of one quarter inch to one inch wide, and is manufactured in long rolls.

To secure the outer wrapping 3, the wrapping 3 may be center stitched 9, as shown in Figs. 1 and 2, or the stitching 9 may be edge stitching. Other types of bonding may be used as appropriate, including ultrasonic welding, heat welding, gluing, and other closure techniques. Alternatively, stitching 9 may not be required at all and the wrapping 3 would be sufficiently wrapped about the inner filling 7 to provide a complete closure which will remain intact.

The ribbon 1 is useful for making inexpensive, disposable sanitary maintenance items such as the wipe or pad 12 shown in Fig. 3 or the mop 14 shown in Fig. 4. In the wipe or pad 12, Fig. 3, the ribbon 1 is formed into a flat mat structure 16 as by winding a continuous length of ribbon 1 about spaced arms which use chains or augers as is commonly known in the art to produce a coil of material. The distance between the spaced arms is dependent upon the width of the article to be produced. In the illustrated mat structure 16, the width may be several inches or several feet depending on the size of wipe or pad to be used. If a wipe, then five or six inches wide may be appropriate. If a pad, such as to be placed by the bedside of an incontinent person, or, for example, used for oil spills, or as a packaging protective pad, the structure might be several feet wide. The mat structure 16 is encased within a pillow or envelope 18 with top and bottom layers sealed closed.

When used in the manufacture of a mop 14, the ribbon 1 is formed into a mophead 20 by coiling about the aforementioned spaced traveling arms with the resultant spiral wound structure cut to a headband width of approximately six inches. A mop fixture 22 is affixed at the head 23. The mop fixture 22 includes a spigot 24 for connection to a mop handle 25. The tail end 27 of the mop, Fig. 4, is left looped, one arm of the mop shown in connection with Fig. 5, another arm of which would extend parallel to the one arm shown in Fig. 5 in a true longitudinal sectional view of Fig. 4. Note that the ribbon 1 is left looped at the tail end 27. When a looped end mop is constructed, no stitching 9 need be done and the outer wrapping 3 may be simply folded over and retained in place by the looped end. However, if it is desired to construct a cut end mop (not shown), then it is desired to use appropriate stitching 9 or other edge connection or bonding technique.

A method of manufacture of the ribbon 1 is shown in connection with Figs. 6 and 7, wherein the wrapping 3 is run through rollers which form a trough 28, the inner filling 7 laid into the bottom layer 5 and the top layer 4 folded thereover. Fig. 7 shows a folded edge 30 and an opposite stitched edge 31.

The ribbon 1 may be manufactured in various widths, but the preferred ribbon particularly suitable as a yarn substitute is in the nature of a half-quarter to one-inch in width.

The aforementioned yarn substitute provides an inexpensive alternative to cotton-based twisted yarn products. Such yarn products, when made inexpensively, use short length fibers which are susceptible to linting off of the yarn strand and further subject to rapid deterioration. The alternative disclosed herein uses interlaid lengths of folded and non-folded non-woven and

cellulose and paper strips or ribbons to make a mop, wipe, pad or other such sanitary maintenance product of such low cost that it is economically disposable. It will be appreciated that folded material has been shown herein, however, if long strips of edge cut material are available, non-folded single strips may be readily used, particularly when laid in in a stacked or sandwich manner as filling.

The waste inner material originates from such products as tea bags, food and industry machine filters, disposable uniforms, packaging, paper wipes, facial tissue, paper towels, and the like. Each specific waste product has different physical properties such as high absorbency, heat retention, and the like which can be suited to various applications. The outer material or wrapper can be selected to have differing physical properties to suit specific applications, including high tensile strength, waterproofness, cleaning power, dirt retention or release, non linting, oil and grease adherence, and the like.

The invention as described above is not limited to the foregoing description except as set forth in the following claims.